
RD-R188 355
COINCIDENT LIDAR AND AIRCRAFT OBSERVATIONS OF ENTRAINMENT INTO THERMALS AND MIXED LAVERS(U) AIR FORCE GLOBAL MEATHER CENTRAL OFFUTT AFB ME T D CRUM ET AL UNCLASSIFIED JUL 87 AFMC/JA-87/901

A PAGE 1/1

A PAGE 1/1

FOR THE PROPERTY OF THE PROP



MICROCOPY RESOLUTION TEST CHART

## UNCLASSIFIED

## OTIC FILE COPY

## REPORT DOCUMENTATION PAGE

- 1a. Report Security Classification: UNCLASSIFIED
- 3. Distribution/Availability of Report: Approved for public release; distribution is unlimited. Not available from DTIC; see Item 16.
- 4. Performing Organization Report Number: AFGWC/JA-87/001
- 6a. Name of Performing Organization: Air Force Global Weather Central
- 6b. Office Symbol: SDD
- 6c. Address: Offutt AFB, NE 68113-5000
- 11. Title: Coincident Lidar and Aircraft Observations of Entrainment into Thermals and Mixed Layers
- 12. Personal Authors: Maj Timothy D. Cruin (AFGWC/SDD), Roland B. Stull, and Edwin W. Eloranta
- 13a. Type of Report: Journal Article
- 14. Date of Report: July 1987
- 15. Page Count: 16
- 16. <u>Supplementary Notation</u>: Announcement only; not available from DTIC. Published in Journal of Climate and Applied Meteorology, Vol 26, No 7, July 1987, ♥ 1987 American Meteorological Society.
- 17. COSATI Codes: Field--04, Group--02
- 18. <u>Subject Terms</u>: WEATHER, WEATHER RECONNAISSANCE AIRCRAFT, PHYSICS, ATMOSPHERIC PHYSICS, METEOROLOGY, METEOROLOGICAL PHENUMENA, METEOROLOGICAL INSTRUMENTS, atmospheric profiles, temperature, moisture, thermal fields, convective boundary layer, horizontal moisture zone, vertical velocity, lateral entrainment, intromission zone, weather instrumentation, weather measuring instruments, lidar, aircraft weather observations.
- 19. Abstract: Coincident observations of the daytime convective boundary layer over Oklahoma were made with the NCAR Queen Air aircraft and the University of Wisconsin ground-based lidar. The two data sets have been merged to provide a unique visual representation of the temperature, moisture, vertical velocity, turbulent kinetic energy and the momentum fluxes in a field of thermals. These data show that horizontal moisture profiles observed in thermals penetrating the entrainment zone tend to exhibit more of a top-hat profile than the corresponding temperature or vertical velocity profiles. The specific humidities observed at various heights including cloud base 1) are frequently nearly constant along the horizontal tracks within each thermal; 2) show thermal-to-thermal variability; and 3) have values nearly the same as found in the surface layer. This paper also proposes the concept of an intromission zone describing the zone of lateral entrainment at the edges of active thermals. For the data studied here, a lateral entrainment velocity of 0.3 ms<sup>-1</sup> was observed (Author).
- 20. Distribution/Availability of Abstract: Same as report; see Item 16.
- 21. Abstract Security Classification: Unclassified
- 22a. Name of Responsible Individual: Col John W. Oliver
- 22b. Telephone: 402 294-3380 Autovon 271-3380

7200

Accessor For

22c. Office Symbol: AFGWC/DO, Offutt AFB, NE 68113-5000

SELECTE JAN 1 2 1988

UNCLASSIFIED

5 065

COPY INSPECTED

DD FORM 1473

NTIS CRAGI
DIIC TAB
Unantioninced
Justification

By
Availability Coc
Avail and fo
Dist Special

DAZE T/LMD